



— ACADEMY OF —
AQUATIC PHYSICAL THERAPY
American Physical Therapy Association

The Benefits of Aquatic Physical Therapy for Children

Aquatic Physical Therapy integrates the unique knowledge, skills, and training of a physical therapist or physical therapist assistant and cannot be performed by an unlicensed individual, caregiver, personal trainer, or aquatic instructor.

Why it Works:

- Uniform support and fluid resistance of the water provides stability to the patient.
- Near zero gravity and buoyancy effectively reduce the patient's body weight, making it easier to move.
- Constant pressure supports body awareness to improve brain-body connection.
- Depending on how a therapist uses the aquatic environment, the multi-sensory environment can stimulate alertness or calming.



Research shows aquatic physical therapy for promotes a reduction in muscle tone, improved extensibility of soft tissue, and global relaxation in children with hypertonicity.^{1,2}

For children with respiratory impairment, the hydrostatic pressure of the water redirects blood flow from the extremities to the chest to improve efficiency in the cardiorespiratory system.

Children with autism spectrum disorder have experienced calming and an improvement in socialization when participating in a group aquatic exercise program.

Additional Benefits:

- Aquatic PT provides opportunities for movement the patient may otherwise be unable to perform.
- Allows for efficient training of multiple systems during a single session.
- Aquatic PT introduces the patient to an activity that allows for life-long participation.
- Enables/promotes caregiver participation.

Time and Temperature Matters

Thermodynamics refers to the effect the temperature of water has on the body. Research suggests the effect of exercise in the water is dependent upon such factors as the age of the patient, the type of intervention performed, the level of activity, the amount of time spent in the water, and the air temperature within the aquatic center or outdoors.^{1,5,6}

Because children have a lesser ability to regulate body temperature, passive interventions may require water temperatures to be between 90-92 degrees to prevent chilling. For children who actively participate in water play, swim skills, and gait training, the water temperature may range from 87-89 degrees.^{1,5} The length of time a participant spends

in the water also impacts their ability to dissipate heat. Most studies reported aquatic interventions lasted between 30-45 minutes.^{2,3,4,5,6}



If you want to know more about aquatic physical therapy, please contact the APTA Academy of Aquatic Physical Therapy at
15810 Kingstowne
Center Dr. Ste
120-779 Alexandria,
VA 22315

833-344-AAPT (2278)

admin@aquaticpt.org

References

¹American Red Cross Scientific Advisory Council (2012). Appropriate Water Temperatures in Which to Conduct American Red Cross Aquatic Instructional Programs. Retrieved from: [www.instructorcorner.org/media/resources/SAC/Scientific Review...](http://www.instructorcorner.org/media/resources/SAC/Scientific%20Review...)

²Chan RC, Chen CL, Lai CJ, et al. (2015). Pediatric Aquatic Therapy on Motor Function and Enjoyment in Children Diagnosed with Cerebral Palsy of Various Motor Severities. *Journal of Child Neurology*, 30(2): 200-208.

³Dimitrijević, L., Aleksandrović, M., Madić, D., et al. (2012). The effect of aquatic intervention on the gross motor function and aquatic skills in children with cerebral palsy. *Journal of human kinetics*, 32, 167-174.

⁴Fragala-Pinkham M, Haley S, O'Neil M (2011). Group swimming and aquatic exercise programme for children with autism spectrum disorders: a pilot study. *Developmental Neurorehabilitation*, 14(4), 230-241.

⁵Karklina B, Declerk M, Daly D. (2013). Quantification of Aquatic Interventions in Children with Disabilities: A Systematic Literature Review. *International Journal of Aquatic Research and Education*, 7(4): 344-379.

⁶Lees, T., Fielding, R., Wernicki, P., Markenson, D. Appropriate Water Temperatures in Which to Conduct American Red Cross Aquatic Instructional Programs, *International Journal of Aquatic Research and Education* 2013, 7, 167-178